

Index

A

Above-grade walls, 235–37
 redirection of water flow and, 227
Abrasion resistance, 141, 142
Absorption, 234, 279
 in building's water envelope, 222
Accelerators, 181
Accounting periods, 27–28
Acts of God, 204, 205
Addressable systems, fire alarm, 273
Adhesives, 210
Aggregates, 180
 for mortar and grout, 189
Agriculture, U.S. Department of (USDA) System, 156
Air
 in concrete, 174
 fresh, 290, 291
 make up, 291
 moving, through ducts, 284–87
Air conditioning, 282. *See also* Heating, ventilation, and air conditioning (HVAC) system
Air cooling, 281
Air entrainment chemicals, 181
Air gaps, 249
Air pressure in building's water envelope, 222–23
Air supply, shut off of, in fire control, 264
Air-to-air heat pump system, 296
American Association of State Highway Officials (AASHO) System, 156
Amp, 134
Apartments, project reasons for, 40
Appian Way, 75
Arched structures, 216
Arc welding, 209

Area, 23
Army Corps of Engineers system, 44
The Art of War, 76
Aspdin, Joseph, 173
Atoms, 305
Attics, venting of, 233
Attitudes
 change in, 120–21
 successful, 117–19

B

Baby flashing, 239
Backer rod, 234
Backfilling, 167
Backflow prevention, 244, 249, 250
 valves for, 244
Balancing valves, 259
Balloon plugs, 259
Ball valves, 255
Bar charts, 109, 111
Baseline costs
 adjusting, for productivity, 87
 in estimating, 87
 making cost library in establishing, 88–89
Battery backup systems, 273
Beams, 209, 211, 212
 building structure and, 207–8
 cast-in-place concrete with, 214–15
 precast, 214
Beetles, insect control, 148
Below-grade floors, 235
Below grade foundation structure, 217
Below-grade walls, 235
Benching, 165
Bending, 143

- Bends, 285
- Bentonite clay, 226
- Bernoulli, Daniel, 245
- Bernoulli, Johann, 245
- Bias, 17–19
 - on business level, 17
 - defined, 17
 - recognizing and controlling, 18–19
 - view of, as good, 17
 - workable approaches and, 44
- Biologicals, 147
- Blacktop paving, 172
- Boilers, 277
- Bolts, 210
 - high strength, 209
- Bonds, 92
- Boundaries, 58
 - selecting, for observations, 24–25
- Break even, calculating, between two decisions, 50
- Bricklayers, observation of, 3
- Bricks, 186–87
 - defined, 186
 - firing of, 187
 - grades for, 187
 - making, 186–87
 - strength of, 187
- Brittleness, 142–43
- Brooklyn Bridge, 75
- Buffalo box, 243
- Building
 - evening out temperatures in, 293–94
 - making appear more precise, 10
 - as people business, 53
- Building envelope, material properties in good, 137–39
- Building permits, 92
- Building structure, 203–20
 - beams, 207–8, 209
 - cantilevers, 208
 - columns, 208, 209
 - common, and their advantages and disadvantages, 211–12
 - compression and, 206
 - concrete, 212–19
 - connections, 208–10
 - dead loads and, 203
 - diaphragms, 208
 - earth and water below grade, 204
 - fire and water resistance, 204
- Building structure (*continued*)
 - fire ratings, 262
 - live loads and, 203–4
 - managing load with elasticity, 205–6
 - motion and, 207
 - multiple spans, 208
 - need for engineering and temporary bracing
 - during construction, 216–18
 - protection against fall, 204–5
 - safety factors, 205
 - shear and, 207
 - tension and, 206–7
 - torsion (twisting) and, 207
 - water load and, 204
 - wind load and, 203–4
- Building systems
 - change in type, 113
 - water and, 125–32
- Building task, ix
- Building water envelope, 221–30
 - above-grade walls, windows, and doors, 227
 - absorption and, 222
 - air pressure and, 222–23
 - capillary action and, 221
 - controlling chemical and biological
 - attack, 224–25
 - controlling transmission with membranes, 223–24
 - diffusion and, 222
 - gravity in movement, 221
 - managing direction of flow, 221
 - managing expansion, 225
 - materials to redirect flow, 226–27
 - pressure and, 222
 - resisting fire, 224
 - roofs, 228–29
 - safety backups, 229–30
 - solar radiation and, 224
 - speed of flow of, 225–26
 - sub-grade walls and, 226
 - temperature and pressure changes and, 223
 - vapor barriers, 228
 - wind pressure and, 222
- Building weather envelope, 125
- Built-up roofs, 229
- Burdens, applied to labor costs, 89
- Bureaucratic management structures, avoiding, 67–68
- Burning materials, 148
- Butterfly valves, 255

C

- Caissons, 166
 - capping with reinforced concrete, 166
- Cantilevers, 211
 - building structure and, 208
- Capacity of people, 56
- Capillary action, 130, 157–58, 159, 234, 252
 - in building's water envelope, 221
- Capital, counting, 46
- Carpenter allocation, 105
- Carrier, Willis, 292
- Carrier Air Conditioning, 292
- Carrying capacity of pipe, 246
- Cast in anchorage devices, 210
- Cast-in-place concrete, with beams, columns, and coffer, 214–15
- Cast stone, 188
- Caulk elasticities, 143, 234
- Caulking, 230
- Cement
 - cold weather placement of, 178
 - in concrete, 173–74
 - hot weather placement of, 178
 - hydraulic, 189
 - masonry, 189
 - Portland, 173–74, 189, 191, 196–97
 - types of, 173
 - reinforcement in reducing movement, 180
 - type I, 174
- Cement related products in improving performance, 180–81
- Centralized system, rules in, 66
- Centrifugal compressor, 280
- Change management, 78
- Change orders, 78
- Character, importance in people, 54
- Checks, 249, 258
- Check valves, 244, 249
- Chemical cure times, 15
 - as production limit, 104
- Chemicals
 - air entrainment, 181
 - attacks on materials, 146–48
 - fireproofing, 224
 - performance improving, 197
 - to remove humidity, 282
 - surface-applied flame retarding, 263
- Chemical suppression systems, 270
- Chemical warfare for insect control, 148
- Chlorine, adding to water, 243
- Circular three-step process in designing workable project, 44
- Classroom education, ix
- Clays, 152, 153, 186
- Cleanouts, 258
- Closed-loop water source heat pumps, 276
- Coarse aggregate in concrete, 172
- Cock valve, 255
- Coffers, cast-in place concrete with, 214–15
- Cold, storing, 286–87
- Cold weather placement of concrete, 178
- Color of soil, 155
- Columns, 209
 - building structure and, 208
 - cast-in-place concrete with, 214–15
- Combustion devices, controlling, 261
- Comfort, perceived, 293
- Commercial structures, 212–19
 - choosing, for your purpose, 215
 - common problems, solutions, and misunderstandings, 218–19
 - earthquakes and, 219
 - holes in members, 218
 - horizontal supports, 213–15
 - hurricanes and, 219
 - need for engineering and temporary bracing
 - during construction, 216–18
 - reinforcement for heavier load, 218–19
 - unusual, 216
 - vertical support, 212–13
- Communication
 - of incentives, 58–59
 - of rules, 58–59
 - standard units of measurement in permitting, 22
- Compaction
 - by kneading, 166–67
 - by tamping, 166–67
 - by vibration, 166–67
- Companies
 - counting, 46
 - outside, 14
- Compartments
 - keeping fire and smoke in, 264–65
 - pressurizing in containing smoke, 264
- Completed project, use of, 39
- Components, fabrication of off site, 113
- Composite materials, 135
- Compound meter, 256

- Compression, 135
 - building structure and, 206
 - of soil, 153–54
- Compressors, 279
 - centrifugal, 280
 - helical rotary screw, 280
 - oil lubrication and hermetic seal, 280–81
 - reciprocating, 280
- Concrete, 171–84
 - accommodating movement of, 179
 - additions to, in improving performance, 179–80
 - air in, 174
 - alternatives to, 181
 - cement in, 173–74
 - chemical resistance of, 146
 - coarse aggregate in, 172
 - cold weather placement of, 178
 - curing, 217
 - defined, 172
 - durability of, 171
 - fine aggregate in, 172–73
 - hot weather placement of, 178
 - ingredients of, 171, 172–75
 - irreversible movement in, 178–79
 - local production of, 171
 - low cost of, 171
 - mixing, 176
 - need for local material, 171
 - placing, 176–77
 - possibilities for, 182
 - poured-in-place, 212, 217
 - precast, 213
 - precast hollow core, 214
 - reinforcement in reducing movement, 180
 - temperature of mixing, curing, and setting, 177–78
 - temperature when placing, 183
 - water control in, 182–83
 - water in, 172
- Concrete blocks, 188
- Concrete design mixes, 182
- Condensers, evaporative, 278
- Conduction, 289–90
- Conductivity, 138
- Connections, building structure and, 208–10
- Consistency, importance of, 10
- Constant radiation, 147
- Constraints, identifying, 46–47
- Construct, 75
- Construction, soil's properties for, 155–56
- Construction organizations, layers in, 66
- Construction projects
 - levels of observations for, 34
 - in remote locations, 66
- Construction Specification Institute (CSI)
 - system, 44, 61
 - 16-section classification system, 34–35, 86
- Construction trades, productive time in, 81
- Continuous improvement, cycle of, 73
- Control joints, 198
- Controls
 - digital electronic systems, 287
 - feedback and, 71–73
 - pneumatic systems, 287
- Convection, 290, 296
- Conventional time measurement periods, 27–28
- Cooling
 - age of, 275
 - production of, 278–79
 - in removing humidity, 282
 - water in, 132
- Cooling equipment, range and capacity of, 127
- Cooling production machines, 278
- Cooling towers, 281
- Copings, covering, 239–40
- Copley Square office building (Boston), 207
- Cost indexes, 89
- Cost library, making, in establishing baseline unit costs, 88–89
- Costs, 86
 - baseline
 - adjusting, for productivity, 87
 - in estimating, 87
 - making cost library in establishing, 88–89
 - breaking down
 - into labor, 86
 - into material, 86
 - into subcontractors, 86
 - into vendors, 86
 - effect of assumptions about, on materials, 94
 - electrical energy, 294
 - estimates of, in project management, 77
 - of innovation, 15
 - labor, 86, 87, 89
 - market boom and busts effect on, 95
 - of moving earth, 168–69
 - risk in modifying, 95
 - in schedule planning, 101
 - soft, 92
- Coulomb, 134

Coulomb, Charles Augustine, 134
 Creep, 179, 206
 Critical path, 104
 adjustments to, 114
 Critical Path Method (CPM), 111
 scheduling, 109
 Critical Radiant Flux, 149
 Cultured stone, 188
 Curing, shrinkage during and after, 178–79
 Current, 305
 Curtain walls, 237–38
 Customs, recognizing, 57
 Cut stone, 188

D

Dead loads, building structure and, 203
 Decay, 147
 Dehumidification, 131, 297
 Deionization, 125–26
 Deluge systems, 269
 Demand meters, 294
 Density of soil, 154
 Desiccants, 282
 Dewatering, 164–65
 Diaphragms, building structure and, 208
 Dielectric unions, 257
 Diffusion in building's water envelope, 222
 Digital electronic systems, 287
 Discounts, prompt payment, 89
 Disk (displacement) meter, 256
 Dispersion of water, 130
 Displacement meter, 256
 Dissatisfactions, 18
 Distance separation, 291
 Distillation, 125–26
 Distributed knowledge system, 65
 feedback and control in, 71
 people in, 66–67
 Doors, 237
 above-grade, 227
 in fire-rated wall, 266
 redirection of water flow and, 227
 Double checks, 249
 Double-width masonry walls, 236
 Drain field, 253
 Drains, gravity, 245–46
 Drop-dead dates, 28
 Drop-dead times, 14–15
 Dry pipe systems, 269

Ducts, moving air through, 284–87
 Ductwork, sealing, to limit leakage, 285
 Dump fees, 92
 Durawall, 196
 Dynamic loading, 167

E

Earth, cost of moving, 168–69
 Earth pressure
 construction precautions for, 162–63
 managing, 162
 Earthquakes, building structures and, 219
 Earthwork
 approach for successful operations, 169
 time and money in, 169
 Earthwork contractor, observation of, 3
 Eccentric loading, 193
 Economizer, 297
 Efflorescence, 200
 Ego, controlling your, 120–21
 EIFS, 232
 Elasticity, 143
 managing load, with, 205–6
 Electrical conductivity, 139
 Electrical energy costs, controlling, 294
 Electrical grounding, through water service, 244–45
 Electrical power, 305
 Electrical reheat coils, 299
 Electrical resistance, 277
 Electric heat, 276
 Electricity, effect of, on chemical attacks, 146–47
 Electro-osmosis, 165
 Employee list, sorting, 34
 Employee pay periods, 27
 Energy in quantitative observation, 4
 Environment, cooling from surrounding, 278
 EPDM, 229
 Epic projects, 12
 Equipment
 counting, 46
 in schedule planning, 99
 for temporary work, 92
 Estimates
 in achieving target project costs, 91–96
 adequate precision in, 88
 checking, during preparation, 90
 comparing expected results with, 90
 information organizational system in preparing,
 85–87

- Estimates (*continued*)
 - of labor costs, 87
 - of material costs, 87
 - of subcontractor costs, 88
 - of vendor costs, 88
 - verification of, 13–15
- Evaporation, 252
 - cooling and, 278
- Evaporative condensers, 278
- Examples in improving productivity, 83
- Exhaust, 291
 - general, 291
 - kitchen, 291–92
 - toilet, 291
- Exhaust fan, wall-mounted, 295
- Expansion, 137–38
 - accommodation of, 233
 - temperature change as cause of, 225
- Expansion-absorbed water, 130–31
- Expansion loop, 257
- Expectations
 - comparing, with estimates, 90
 - in increasing momentum, 29–30
 - influence on reality, 94–95
- Exploration tests, 169
- External insulation, 285
- Extraordinary events, 115

- F**
- Fabric structures, 216
- Face and bypass system, 293
- Facts
 - as building blocks of judgment, 123
 - as building blocks of knowledge, 123
- Failure, accepting, 117
- Fan coil unit or convector, 296
- Feedback
 - control and, 71–73
 - process improvement and, 72–73
- Fees, dump, 92
- Fiber mesh concrete, 180
- Field experience, project manager's need for, 77
- Fine aggregate in concrete, 172–73
- Fire, 148
- Fire alarm systems, 271–74
 - addressable, 273
 - monitoring of, 273
- Fire alarm zoning and notification, 272–73
- Fire barriers, 265
 - masonry as, 200
- Fire control, by limiting fire's fuel and air, 263–64
- Fire control panel, 273
- Fire dampers in HVAC ductwork, 265–66
- Fire exit corridors, 266–67
- Fire extinguishers, 273–74
- Fire hydrants, 267
- Fire prevention system, 261
- Fireproofing, 265
 - chemicals, 224
 - materials, 204
- Fire protection line, 268
- Fire protection piping, water in, 267–68
- Fire protection sprinkler(s), 267–71
 - distribution of water, 268
- Fire protection sprinkler heads
 - activating, 269–70
 - location of, 270–71
 - spacing of, 271
- Fire pump, 267
- Fire-rated walls
 - doors in, 266
 - windows in, 266
- Fire ratings for building structures, 262
- Fire resistance, 149–50
- Fire resistance, building structure and, 204
- Fire-resistant materials, 224
- Fire retarding additives, 263
- Fire safety, 261
- Fire stopping, 265
- Fire-suppression systems, 261
- Fixture unit calculations, minimum pipe sizes and, 247–48
- Flame spread, 148
- Flammable materials, use of less, 263
- Flashings, 199, 229
 - baby, 239
 - covering, 239–40
 - to flashing joints, 239
- Flat organizational structures, workability of, 66
- Flat roofs, 238–39
- Flexible membranes, 234
- Floors
 - below-grade, 235
 - redirection of water flow and, 226–27
 - slab on-grade, 235
 - vinyl asbestos tile (VAT), 226
- Flow alarms, 272

Flow control valves, 255
 Flow switch, 268
 Fluorine, adding to water, 243
 Fly ash, 180–81
 Footings, 165
 Forced air systems, 296–97
 Force in quantitative observation, 4
 Ford Motor Company
 centralized system of, 67
 distributed system of, 67
 Fossil fuels, 277
 Foundation contractor, observation of, 3
 Foundation types, 165–66
 Freefall, 176
 Freeze thaw, 147
 Freezing of surrounding soil, 164
 Fresh air, 290, 291
 Friction, 141–42
 natural, 141
 Friction loss, 284–85
 sources of, 285
 Frogs, masonry, 186
 Fuel
 heating by burning, 276
 shut off supply of, in fire control, 264

G

Galvanic action, 146–47
 Gantt, Henry, 109
 Gantt chart, 109
 Gaps
 covering, 239–40
 isolating with, 234
 Gate valve, 255
 General exhaust, 283, 291
 Geotextiles, 167
 Geothermal heating, 276
 GI Bill, 76
 Glass, redirection of water flow and, 227
 Glass block, 188
 Glazed clay tile, 188
 Globe valve, 255
 God, acts of, 204, 205
 Good enough, determining, 9–10
 Government agencies, use of bureaucratic model, 67
 Government projects, project reason for, 41
 Government regulations, impact on project, 15
 Grade, effect of assumptions about, on materials, 94
 Gravel, 152

Gravity
 in moving water, 129
 in moving water in pipes, 245
 in water movement, 221
 Gravity drains, 245–46
 Grease trap, 251
 Great Pyramids, 75
 Great Wall of China, 75
 Grout, aggregate for, 189

H

Hair traps, 251
 Halon fire extinguisher, 274
 Halon systems, 269–70, 273
 Hand construction circle of worker operations, 48
 Hardness, 142
 Hard water, 251
 Hazard types, 262–63
 Heat detectors, 272
 Heat ejection devices, 281
 Heat exchanger, 277
 Heating
 age of, 275
 by burning fuel, 276
 effect of, on chemical attacks, 146–47
 efficiency of equipment, 127–28
 electric, 276
 in expansion of components, 137
 geothermal, 276
 solar, 276
 steam, 277
 storing, 286–87
 water in, 132
 Heating, ventilation, and air conditioning (HVAC)
 system, 131, 289–303
 commonly used, 294–95
 fire dampers in ductwork, 265–66
 heating and cooling task, 289
 heating distribution methods, 289–90
 for human occupants, 296–300
 for large commercial buildings, 298–99
 for medium office buildings, 298
 regulation of moisture in air by, 125
 single purpose, 295
 for small commercial spaces, 297–98
 ventilation, 290–91
 Heating production machines, 277
 Heat pumps, closed-loop water source, 276
 Heat pump system, air-to-air, 296

- Heat-resistant glass, 266
 - Heat transmission, 138–39
 - Helical rotary screw compressors, 280
 - Henry, 134
 - Henry, Joseph, 134
 - Hertz, 134
 - Hertz, Heinrich, 134
 - High productivity, 29–30
 - High strength bolts, 209
 - Holes in structural members, 218
 - Hollow clay tile, 188
 - Home office overhead, 93
 - Horizontal pressure, 162
 - Hot deck-cold deck duct system, 299
 - Hotel interior construction, project reason for, 41
 - Hot water heaters, 250
 - Hot water re-circulating lines, 258
 - Hot water storage, 250
 - Hot weather placement of concrete, 178
 - Human occupants, HVAC systems for, 296–300
 - Human variation, existence of, 8
 - Humidity, 278
 - acceptability for human comfort, 131–32
 - achieving an ideal, 283
 - chemicals to remove, 282
 - controlling, 282–83
 - cooling to remove, 282
 - variation in, by location, 131
 - water or steam to increase, 282
 - Humidity control, 128
 - laminar flow equipment, 301
 - Hurricanes, building structures and, 219
 - Hydraulic cement, 189
 - Hydraulic cycle, 243
 - Hydraulic systems, 126
- I**
- Ice dams, 233
 - Impressions
 - qualitative, 12–13
 - in qualitative observation, 4–5
 - quantitative, 12–13
 - Incentives
 - communication of, 58–59
 - managing people with, 57–59
 - as quantifiable goals, 18
 - use of stated goals and feedback in, 58
 - Independent sources, verification from, 25
 - Indivisible units, 24
 - Industrial production time, 109
 - Industry standards for tolerances, 8
 - Infection control, 301
 - Information
 - availability of, in increasing productivity, 82
 - counting, 46
 - gravity flow of, 58–59
 - managing, 61–63
 - organizational structure for, 43–44
 - Information organizational system in preparing estimate, 85–87
 - Information systems in project management, 77
 - Informed decisions, quantitative and qualitative observations in making, 5
 - In-line heating elements, 250
 - Innovation, costs of, 15
 - Insects, 148
 - Instructions for task execution, 58
 - Insulation, 258
 - external, 285
 - internal, 285
 - Interior designer, observation of, 3
 - Internal insulation, 285
 - Intuition
 - in determining workable approach, 43
 - use of, in designing workable approach, 44
 - Irreversible movement
 - in concrete, 178–79
 - water as cause of, 137–38
- J**
- Job costing
 - in project management, 77
 - scheduling for, 115–16
 - Job site
 - density, 47
 - duration of activities, 103
 - supervision and management for temporary work, 92
 - walkthrough, 63
 - Joints
 - flashing to flashing, 239
 - location of, 210
 - Joule, 134
 - Joule, James Prescott, 134
 - Judgments
 - altering initial, 63
 - facts as building blocks of, 123

Judgements (*continued*)

- ignorant, 63
- need for facts in making, 63
- talking about, 62

K

- Kitchen exhaust, 291–92
- Kneading, compaction by, 166–67
- Knowledge, facts as building blocks of, 123

L

- Labor
 - quantity of, 13
 - in schedule planning, 99
- Labor costs
 - breaking down, 86
 - burdens applied to, 89
 - estimating, 87
- Labor productivity, 81–82
- Lake turnover, 127
- Large commercial buildings, HVAC systems for, 298–99
- Large projects, 12
- Large shop, 14
- Lateral bracing, 217
- Lateral stability, 208
- Layers in construction organizations, 66
- Lead and lag times, 106
- Length in quantitative observation, 4
- Liability insurance, 92
- Life safety measures, purpose of, 261–62
- Light
 - gas, and liquid detectors, 272
 - in quantitative observation, 4
 - structures made with struts, 216
 - transmission of, 139
- Lime, 189–90, 191
- Limestone, 172
- Linear measures, 23–24
- Lint trap, 251
- Liquid water direction management, 232
- Litigation, 116
- Live loads, building structure and, 203–4
- Loads
 - managing, with elasticity, 205–6
 - reinforcing heavier, 218–19
- Long narrow operations, 48
- Lost opportunities, time as cause of, 29

M

- Machine operation circle of required area, 47
- Mains and branches (horizontal), 268
- Make up air, 291
- Management, tasks handled by, 61
- Management system, failure and, 119
- Man made changes, water flow and, 225–26
- Manpower, need for, in mechanization, 65–66
- Manufacturing
 - process improvement techniques in, 72–73
 - project reason for facility, 40
 - similarity of methods, 8
- Market boom and busts, effect on costs, 95
- Masonry, 185–202
 - assembling pieces, 194–95
 - assembling pieces and ingredients into building, 193–202
 - constant movement of, 197–98
 - defined, 185
 - as fire barrier, 200
 - importance of water in, 185–86
 - performance improving chemicals, 197
 - physics and chemistry influence, 196
 - reinforcing steel, 196
 - sound reduction in, 201
 - strength of, 185
 - water storage in, 199
- Masonry cement, 189
- Masonry is impact resistant, redirection of water flow and, 227
- Masonry piece orientation, 195
- Masonry walls, 212, 235–36
 - double-width, 236
 - managing water in finished, 198–200
 - strength of, 193–94
- Massive projects, 12
- Material(s)
 - breaking down costs for, 86
 - counting, 46
 - determining unit costs, 89
 - effect of assumptions about grade and cost, 94
 - quantities of, 13–14
 - in schedule planning, 99
 - time in obtaining, 50
- Material cost estimating, 87
- Material properties, 133–40
 - abrasion resistance, 141
 - brittleness, 142–43

Material properties (*continued*)

- complexity and specialization of, 134
 - compression, 135
 - conductivity, 138
 - decision making and, 133–35
 - elasticity, 143
 - electrical conductivity, 139
 - expansion, 137–39
 - friction, 141–42
 - in good building envelope, 137–39
 - for good structure, 135–36
 - hardness, 142
 - heat transmission, 138–39
 - light transmission, 139
 - purpose of understanding, 135
 - sound conductivity, 144–46
 - strength to weight and strength to cost ratios, 135–36
 - tension, 135
 - units of measurement in, 134–35
 - water transmission, 143–44
- Matrix structures, division of, 68–69
- Maximum jobsite density as production limit, 104
- Measurement in quantitative observation, 4
- Mechanical pumping, 165
- Mechanization, need for manpower in, 65–66
- Medical facilities and laboratories, HVAC system for, 301
- Medium office buildings, HVAC systems for, 298
- Medium projects, 12
- Medium size shop, 14
- Membranes, contrasting water treatment with, 223–24
- Metal joists and deck, 213
- Metals, redirection of water flow and, 227
- Metal siding, 236
- Micromanagement, 119
- Milestones, 28–29
- in defining activity grouping, 103–4
- Minerals, removing, by softening to reduce buildup in pipes and valves, 251
- Mixed-use facility
- costs and time of, 40
 - design problems of, 40
- Mobility restriction, reducing, in work area, 82–83
- Modified bitumens, 229
- Mold, 147, 224

Momentum

- expectations in increasing, 29–30
 - in improving productivity, 83
 - in increasing productivity, 29
- Money in quantitative observation, 4
- Money management, 77
- Mortar, 190–91
- aggregate for, 189
- Mortar joints, 199
- Motion
- building structure and, 207
 - studies of, 109
- Motivation of people, 56
- Multiple spans, building structure and, 208
- Multiple types of wet fire protection systems, 270
- Municipal shutoff valves, 243
- Municipal water service, 243

N

- Nails, 210
- National Fire Protection Association (NFPA 13), 271
- Natural friction, 141
- Natural tendencies, people and, 54
- Newton, 134
- Newton, Isaac, 134
- Nonpayment by owner as risk, 95
- Non-water liquids, removing on site, 251

O

- Objective facts in sorting observations, 34
- Observations
- checking and reproducing, by another party, 25
 - clear, in organization, 1
 - defined, 21
 - organizational structure in organization of, 31–35
 - by outsiders, 21
 - precision in, 7–10
 - project participants by, 22
 - purpose of, 3–6
 - qualitative, 4–5
 - quantitative, 4
 - in combination with qualitative, 5–6
 - selecting boundaries of, 24–25
 - sorting by objective facts of, 34
 - variances in, by purpose of observer, 3–6
 - variation in, 7–10
 - verification of, by independent sources, 25

Observer, variances in observations by purpose of, 3–6

Obstacles
 identifying, 46–47
 in killing project, 15

Occupancy types, 262–63, 302

Office overhead and profit, 93

Offset masonry bonds, 195

Ohm, 134

Ohm, George Simon, 134

Oil separators, 251

One-man shop, 14

Open flame space heaters, reduction in, 261

Organics, 152

Organic soils, 156

Organization, clear observation in, 1

Organizational structures
 bureaucratic, 67–68
 centralized, 66
 distributed knowledge, 65, 66–67, 71–72
 establishing purposes for, 32–33
 for information, 43–44
 managing people with, 65–69
 matrix, 68–69
 in organizing observations, 31–35
 top-down, 65, 71
 unusefulness of, to project, 35
 workability of flat, 66

Organizations systems, characteristics of, 33–34

Organized facts, use of, in designing workable approach, 44

Oriented strand board (OSB), 137–38, 144

Osmosis, reverse, 125–26

Outlook, change in, 120–21

Outside companies, 14

Outsiders, observations by, 21

Overlap activities, 106

Owner activities, unanticipated changes in productivity due to, 95

P

Pads, 165

Panama Canal, 75

Particle sizes, 153

Pascal, 134

Pascal, Blaise, 134

Penetrations, covering, 239–40

Penetration tests, 169–70

People
 capacity of, 56
 counting, 45
 effect of bias on, 17–19
 including nature of, in project planning, 53–56
 managing, 61–63
 with organizational structures, 65–69
 with rules and incentives, 57–59
 motivation of, 56
 natural tendencies of, 55
 in quantitative observation, 4
 speed of decision for, 55
 things and, 54–55
 time horizons for, 55
 work as part of identify of, 53–54

Perceived comfort, 293

Percolation test, 253

Performance, cement related products in improving, 180–81

Performance Evaluation and Review Technique (PERT), 109

Perimeter cooling, 300

Permanent projects
 completing costing of, 88
 estimating costs of, 94

Permeability of soil, 154

Petroleum-based membranes, 228–29

Petroleum type membranes, 235

Pigment, 191

Piles, 165–66
 capping with reinforced concrete, 166

Pipes
 achieving health and purity of water in, 249–50
 carrying capacity of, 246
 expansion of, 256–57
 flow of heating and cooling water through, 286
 maintaining water purity in loop, 248–49
 minimum sizes of, 247–48
 moving water in, 245–46
 sizing of, 247
 support for, 256

Plant materials, 228

Plasticity of soil, 155

Plastics, redirection of water flow and, 227

Plumbing, 243–60

Plumbing fixtures, 259

Plumbing materials and devices, 253–54
 piping materials, 253, 254
 cast iron, 254

Plumbing materials and devices (*continued*)

- clay tile, 254
 - copper, 253
 - glass, 254
 - grades and specifications for each, 254
 - lead, 253
 - plastic, 254
 - steel, 254
- Pneumatic systems, 287
- Portland cement, 173–74, 189, 191, 196–97
- types of, 173
- Post tensioning, poured-in-place concrete flat slabs
- with, 215
- Potential difference, 305
- Poured-in-place concrete, 212, 217
- Poured-in-place concrete flat slabs
- with post tensioning, 215
 - with reinforcing steel bars, 214
- Power exhaust device, 297
- Power in quantitative observation, 4
- Preaction systems, 269
- Precast beams, 214
- Precast concrete, 188, 213
- Precast hollow core concrete, 214
- Precision
- adequate, in estimates, 88
 - communicating, 10
 - getting best from level of, 9–10
 - increased, 9
 - in observations, 7–10
 - for purpose, 7–8
 - realizing optimal level of, 8–9
 - in tolerant fit, 10
- Predecessors for activities, 98–99
- Prejudice, 17
- Preloading, 167
- Pressure
- impact on water, 125–29
 - in moving water, 244
- Pressure control, 255–56
- Pressure-reducing valve, 255–56
- Pressure relief valves, 256
- Pressure tests, 259
- Priorities, setting your, 41–42
- Private shutoff valves, 243
- Private water service, 243
- Process exhaust systems, 283, 292
- Process improvement, feedback for, 72–73

- Proctor test, 154
- Production limits, 47–48
- in project scheduling, 104
- Productivity, 81–83
- adjusting baseline costs for, 87
 - example and momentum in improving, 83
 - factors affecting, 72
 - high, 29–30
 - information in increasing, 82
 - labor, 81–82
 - managing travel time in improving, 82
 - measuring, 81
 - momentum in increasing, 29
 - reducing mobility restriction in work area, 82–83
 - studies of, 82
- Products, increased knowledge needed in using, 65–66
- Project(s). *See also* Workable projects
- determining scale, 12
 - effect of bias on, 17–19
 - estimating costs to determine and confirm workable approach, 85–90
 - “look and feel” of, 12
 - nature of, 12
 - obstacles in killing, 15
 - purpose of, 37
- Project estimating process, 62–63
- Project funding dates, 28
- Project ingredient evaluation, 13–15
- Project management, xi, 75–79
- change management and, 78
 - factors in development of, 76
 - finance in, 77
 - focus of, 75, 76–77
 - history of, 76
 - specific purpose with defined end in, 77
 - value engineering and, 78
- Project managers
- need for field experience, 77
 - skills and knowledge of, 77–78
- Project owners, view of office overhead, 93
- Project participants
- observations by, 22
 - relevant time periods established by, 28–29
- Project personnel, organization of, 37
- Project planning, including nature of people in, 53
- Project purpose
- defined, 37
 - product, cost, and time in, 37

Project reason
 in defining workable project, 39–40
 identifying, 40–41
 Project schedule dates, 28–29
 Project scheduling, production limits in, 104
 Project start date, changing, 113
 Project success, choosing to make normal, 117–21
 Project use in defining workable project, 39–40
 Prompt payment discounts, 89
 Psychometric charts, 292
 Public sewers, 252
 Pull stations, 272
 Pumps in moving water in pipes, 245
 Pure water, 125
 Purpose, precision for, 7–8

Q

Qualitative impressions, 12–13
 Qualitative observations, 4–5
 impressions in, 4–5
 quantitative observation in combination with, 5–6
 Quantitative impressions, 12–13
 Quantitative observations, 4
 in combination with qualitative observation, 5–6
 measurement in, 4
 Quarried stone, 188
 Quartz rock, 172
 Quicklime, 189–90

R

Rack storage in warehouse, 270–71
 Radiant cooling, 290
 Radiation, 290, 296
 constant, 147
 Radiation heating and cooling zone control, 300
 Reality, expectation influence on, 94–95
 Rebar, 179–80
 Reciprocating compressor, 280
 Re-circulating lines, 258
 Record keeping in construction, 72
 Reduce pressure valve (RPZ), 249, 250
 Refinement, cycle of, in achieving workable approach,
 50–51
 Refrigerants, 279–80
 managing, 281
 Reinforcement in reducing concrete movement, 180
 Reinforcing steel, 191, 195, 212, 214

Reinforcing steel bars, poured-in-place concrete flat
 slabs with, 214
 Relative humidity, 128
 Resource assignment, 102
 Resources in schedule planning, 107
 Retarders, 181
 Reverse osmosis, 125–26
 Reversible movement, 179
 water as cause of, 138
 Risers (vertical), 268
 Risk, cost in modifying, 95
 Rivets, 209
 Road use, permits for, 92
 Rollers, 257
 Roofs, 228–29
 built-up, 229
 flat, 238–39
 sloped, 238
 Rooftop HVAC units, 297–98
 Roof water load, 204
 Rot, 147, 224
 RS Means, 89
The Rule of St. Benedict, 76
 Rules
 communication of, 58–59
 managing people with, 57–59
 Running bond, 195

S

Safety backups, 229–30
 Safety factors, building structure and, 205
 St. Benedict, 76
 Sand, 152, 153
 Sanitary sewer systems, wastewater in, 252
 Sanitary waste piping, 259
 Sanitization, 250
 Satisfactions, 18
 Scarce resources as production limit, 104
 Schedule implementation and management, 109–16
 adjustments in, 114
 radical related changes, 113–16
 reaction of people in, 110–11
 updates in, 115
 Schedule planning, 97–107
 activities in, 97–99
 adjustments for improvement, 106–7
 cost in, 101
 equipment in, 99

- Schedule planning (*continued*)
 - evaluation of approach, 104–5
 - grouping activities in, to aid understanding and monitoring, 103–4
 - labor in, 99
 - material in, 99
 - resources assigned to activities in, 99–102
 - resources in, 107
 - time for activities in, 103
 - uselessness of, without estimating information, 102
 - working calendar in, 99, 101, 107
- Schedules
 - as bottom up activity, 110
 - breaking, into sections, 72
 - in helping refine improve workable approach, 111, 113
 - for job costing and management, 115–16
 - updates in schedule implementation and management, 115
- Scheduling programs, 37
- Scheduling systems
 - beginning of, 109
 - management and control in, 109–10
- Scheduling tools in project management, 77
- Screws, 210
- Scroll compressor, 280
- Seasonal variation, impact of normal, 95
- Seasons, 28
- Self control, requirements in, 71–72
- Self-extinguishing materials, 149
- Septic fields, 253
- Septic systems, 253
- Sewer gas, 252–53
- Shear
 - building structure and, 207
 - strength of, 161–62
- Shear walls, 217
- Sheeting, 163
- Shrinkage, during and after curing, 178–79
- Shutoff valves, municipal and private, 243
- Siamese connections, 268
- Siding
 - metal, 236
 - wood, 236
- Silt, 152
- Single family residential, 211
- 16-section classification system, 34–35, 86
- Slab on-grade floors, 235
- Slip joints, 234
- Sloped roofs, 238
 - venting for, 238
- Slump, 176, 191
- Slurry walls, 163–64
- Small commercial spaces, HVAC space for, 297–98
- Small projects, 12
- Small shop, 14
- Smoke, pressurizing compartments in containing, 264
- Smoke detectors, 271, 272
- Smoke developed material, 149
- Snow load, 204
- Soft costs, 92
- Soil, 151–59
 - color of, 155
 - components of, 152
 - compression of, 153–54
 - density of, 154
 - flow of water through, 157
 - freezing water in expansion, 159
 - getting paid for, 168–69
 - improving strength of, 166–67
 - memory of, 155
 - mixing, 167
 - movement of, 161
 - particle size, 153
 - paying for, 169
 - permeability of, 154
 - plasticity of, 155
 - settlement of, 161
 - strength of, 155–56, 161–62
 - water impact on, 157–59
 - water in determining strength of, 158
 - water in increasing weight of, 159
 - weight of, 153
- Soil classification systems, 156–57
- Soil mixtures, 156
- Soil particle workability
 - color of, 155
 - compression of, 153–54
 - density of, 154
 - permeability of, 154
 - plasticity of, 155
- Soil-testing methods, 169–70
- Solar heat, 276
- Solar radiation in building's water envelope, 224
- Soldier beams and lagging, 163
- Solid rock, 152

- Solids, removing on site, 251
 - “Sort and set in order” characteristics, 34
 - Sound conductivity, 144–46
 - Sound reduction in masonry, 201
 - Sound traveling, stopping, through heavy materials, 145
 - Space frames, 216
 - Special project divisions, 66
 - Speed of decision for people, 55
 - Spring isolators, 257
 - Standard industry terms, use of, 61–62
 - Standard Oil Building (Chicago, IL), 138
 - Standard units of measurement in permitting communication, 22
 - Steam, addition of, in increasing humidity, 282
 - Steam boilers, 277
 - Steam heat, 277
 - Steel bridging, 213
 - Steel framing, 212
 - Stops, 257
 - Storefront walls, 237–38
 - Strainers, 251, 257
 - Strategic planning, 77
 - Strength of soil, 155–56
 - Strength to cost ratios, 135–36
 - Strength to weight ratio, 135–36
 - Structural members, holes in, 218
 - Structural steel, 217
 - Struts, light structures made with, 216
 - Subcontract items, detailed records on, 89
 - Subcontractors
 - breaking down costs for, 86
 - estimating, 88
 - Sub-grade walls, redirection of water flow and, 226–27
 - Subprojects in defining activity grouping, 103–4
 - Successors for activities, 98–99
 - Surface-applied flame retarding chemicals, 263
 - Synthetic stucco cladding, 236–37
 - System commissioning, 301
 - System testing and balancing, 301–2
- T**
- Tamper alarms, 272
 - Tamper-and-flow signal, 272
 - Tamper switch, 268
 - Tamping, compaction by, 166–67
 - Taps, 258
 - Target costs
 - acceptable, in workable approach, 85
 - estimating to achieve, 91–96
 - Tasks
 - instructions for execution, 58
 - studying and making improvements in, 73
 - Taylor, Fredrick, 76, 109
 - Temperature control for mixing, setting and curing is crucial, 177–78
 - Temperature when placing concrete, 183
 - Temperature relief valves, 256
 - Temperatures
 - acceptability for human comfort, 131–32
 - evening out, in building, 293–94
 - impact on water, 125–29
 - variation in, by location, 131
 - Temperature steel, 180
 - Template, use of reusable in estimating costs, 86
 - Temporary retention structures, 163–64
 - Temporary retention walls, bracing of, 164
 - Temporary structure design, 217–18
 - Temporary structures and facilities for temporary work, 92
 - Temporary work, 91
 - costing, 91
 - equipment, vehicle, and small tools for, 92
 - general and special conditions for, 91
 - job site supervision and management for, 92
 - structures and facilities for, 92
 - Ten Commandments, 58
 - Tension, 135
 - building structure and, 206–7
 - reinforcing to add strength in, 179–80
 - Tension-compression strengths, 135–36
 - Termites, control of, 148
 - Terms, defining your, 61–62
 - Tesla, 134
 - Tesla, Nikola, 134
 - Thermal break, 237
 - Thermostatic valves, 296
 - Time
 - continuous, 27–30
 - conventional measurement periods, 27–28
 - costs of, 27, 29–30
 - in quantitative observation, 4
 - standard measurement units of, 27–28
 - value of, 29–30
 - Time-concrete, 183
 - Time horizons for people, 55

- Time limits
 crew size by task requirements or maximum efficiency, 49
 cure time of materials, 49
 to hours worked in a week, 49
 moisture reduction, 49
 to obtain material and train personnel, 50
 sequence of operations, 50
- Time periods
 for multiple project participants, 28
 relevant, established by project participants, 28–29
- Times, possible construction, 14–15
- Toilet exhaust, 283, 291
- Tolerance, industry standards for, 8
- Tolerant fit, precision in, 10
- Tools for temporary work, 92
- Top-down approach
 command and control structure, 65
 feedback and control in, 71
- Torsion (twisting) building structure and, 207
- Toyota Company
 centralized system of, 67
 distributed system of, 67
- TPO, 229
- Training of personnel, 50
- Travel time, reducing, in improving productivity, 82
- Triple basin oil separator, 251
- Trouble alarms, 272
- Truthful statement, critical nature of, 41
- T shapes, 214
- Turbine meter, 256
- Type I cement, 174
- U**
- Unbiased, claims of being, 17
- Underwriters Laboratories (UL), 262, 264
- Unified Soil Classification System, 155, 157, 170
- Unproductive time, reducing, 81–82
- Usable strength, 161–62
- V**
- Vacuum breakers, 249, 258
- Value engineering, 75, 78
- Valves, 249
 backflow prevention, 244
 balancing, 259
 ball, 255
- Valves (*continued*)
 butterfly, 255
 check, 244, 249
 cock, 255
 flow control, 255
 gate, 255
 globe, 255
 municipal shutoff, 243
 pressure control, 255–56
 pressure-reducing, 255–56
 pressure relief, 256
 private shutoff, 243
 reduce pressure, 249, 250
 shutoff, 243
 temperature relief, 256
 thermostatic, 296
 water meter, 256
- Valve stem, 243
- Vapor barriers, 228, 236
- Variable air volume (VAV), 299
- Variable volume and temperature (VVT), 299
- Variation
 existence of, 8
 in observations, 7–10
- Vehicle for temporary work, 92
- Velocity, ductwork and, 284
- Vendor cost estimating, 88
- Vendors
 breaking down costs for, 86
 detailed records on equipment purchased by, 89
- Ventilation, 283–84, 290–91. *See also* Heating, ventilation, and air conditioning (HVAC) system
 components of, 283–84
- Ventilation zone control, 299–300
- Venting
 of attics, 233
 of sloped roofs, 238
- Vents, 252
- Verification, from independent sources, 25
- Versailles, 75
- Vertical earth pressure, 162
- Vibration, compaction by, 166–67
- Vinyl asbestos tile (VAT) floors, 226
- Volt, 134
- Volta, Count Alessandro, 134
- Voltage, 305

W

Wall-mounted exhaust fan, 295

Walls

- above-grade, 235–37
- below-grade, 235
- curtain, 237–38
- fire-rated, 266
- masonry, 235–36
- shear, 217
- slurry, 217
- storefront, 237–38
- strength of, 193–94
- temporary retention, 164

Warehouses

- hazards in, 262–63
- rack storage in, 270–71
- shelves of, 270–71

Waste line air pressure, managing, 252–53

Waste treatment systems, 252

Wastewater in sanitary sewer systems, 252

Water

- absorption in expansion and contraction, 225
- addition of, in increasing humidity, 282
- attraction of, to surfaces, 129–30
- boiling point of, 127–28
- building systems and, 125–32
- as cause of irreversible movement, 137–38, 138
- components of, 243
- in concrete, 172
- in cooling, 132
- density of, 126–27
- in determining strength of soil, 158
- directing away from site, 235
- dispersion of, 130
- effect on people and building systems, 131–32
- expansion-absorbed, 130–31
- in expansion of components, 137
- flow of, through soil, 157
- freezing, in soil expansion, 159
- freezing point of, 127
- hard, 251
- in heating, 132
- heating, for sanitation and comfort, 250
- impact on soil, 157–59
- importance of, in masonry, 185–86
- managing, in finished masonry wall, 198–200
- movement of, 129–30
- moving, in pipes, 245–46
- perception of, 186

Water (*continued*)

- pressure impact on, 125–29
 - pressure in moving, 130, 244
 - providing, to site, 243
 - pure, 125
 - resisting force of moving, 248
 - slowing or redirecting movement for human
 - comfort, 231–41
 - temperature impact on, 125–29
 - temperature of, 126–27
 - as temperature stable, 128–29
 - volume of, 126–27
 - weight of, 126
- Water-cement ratio, 175
- Water coils, 299
- Water control in concrete, 182–83
- Water cooling, 281
- Water curtain, 266, 270
- Water flow
 - materials to redirect, 226–27
 - speed of, 225–26
- Water load, building structure and, 204
- Water meters, 244, 256
- Water pipe, killing bacteria in, 250
- Water pressure in building's water envelope, 222
- Waterproofing, 199, 232
- Water purity
 - achieving, in pipes, 249–50
 - maintaining, in piping loop, 248–49
- Water reducers, 181
- Water resistance, building structure and, 204
- Water service, 244
 - control of, for maintenance, billing, and purity, 243–45
 - electrical grounding through, 244–45
- Water shedding, 199, 232
- Water shedding system, 236
- Water softeners, 251
- Water storage, 232
 - in masonry, 199
- Water storage system, masonry walls as, 236
- Water table, raising and lowering, 167
- Water transmission, 143–44
- Water treatment, controlling with membranes, 223–24
- Water vapor direction management, 232
- Watt, 134
- Watt, James, 134
- Weekly time period, 28

Weeps, 199, 230, 234

Weight, 24

- in quantitative observation, 4
- of soil, 153
- soil's water in increasing, 159

Welded wire fabric, 180

Welding, 209

Wet fire protection systems, multiple types of, 270

Wet pipe systems, 269

Wind load, building structure and, 203–4

Wind loading, 194

Window contractor, observation of, 3

Windows, 237

- in fire-rated wall, 266
- redirection of water flow and, 227

Wind pressure, 252

- in building's water envelope, 222

Wood, redirection of water flow and, 227

Wood shingles, 228

Wood siding, 236

Wood structures, 213

Workable approaches, 11–16, 43–51

- checking and adjusting execution of, 71–72
- counting work items, 45–47
- cycle of refinement in achieving, 50–51
- defined, 11
- estimating project costs to determine and confirm, 85–90
- factual framework in, 43–44
- finding probable, 11
- intuition and organized facts in designing, 44–45
- intuitive understanding in, 43
- qualitative and quantitative impressions in, 12–13
- rules and incentives in, 57–59
- steps in creating, 11

Workable projects

- production limits in, 47–48
- reasons for, in defining, 39–40
- time limits in, 49–50
- use of, in defining, 39–40

Workable purpose, defining, 39–42

Work activities in schedule planning, 97–99

Work area, reducing mobility restriction in, 82–83

Work as aspect of people's identity, 53–54

Work day, productive work in, 81–82

Working calendar in schedule planning, 99, 101, 107

Work items, counting, 45

Z

Zenolite, 251

Zero slump concrete, 176

Zone control, achieving even temperature and humidity with, 293–94

Zone temperature control, 299